



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Edwards, CO 81632


Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



ALL DESIGNS ARE CUSTOMIZABLE!!
Parts can be added, removed and shifted around.

PONDEROSA		OPTIONAL EXCLUDED
PONDEROSA STRUCTURE 1	3499	
WOODEN RAIL X 3	225	
WOODEN ROOF X 2	798	
ON STRUCTURE 1		
RAMP	349	
BABY ROCK CRAWL	549	
7' TUBE SLIDE	1199	
FIRE POLE	699	
LG ROCK WALL	449	
DOUBLE SWING SET	999	
SOFT GRIP BELT SWING	69	
SOFT GRIP INFANT FULL BUCKET	99	
SOFT GRIP INFANT FULL BUCKET	99	
TIRE SWING	199	
SUB TOTAL	\$ 9,232.00	
SHIPPING ESTIMATE / MOBILIZATION	???	
INSTALL BY BEARS	???	
SAFETY SURFACING PACKAGE		
CERT. WOODEN MULCH- 55 YDS^3	\$ 3,255.00	
BARRIER FABRIC- 1927 FT^2	\$ 485.00	
DOUBLE HIGH LOG BORDERS X 36	\$ 1,800.00	
HEAVY DUTY Swing/Slide Mat X 0	NONE	
SURFACING PACKAGE INSTALL	???	
NEW TOTAL	???	
SALES TAX		
GRAND TOTAL		
ADA Compliant & Certified Safety Surfacing available upon request.		
Specifications, product offerings & prices are subject to change w/out notice.		
INSTALL AND SHIPPING PRICES SUBJECT TO CHANGE		

Ask about our safety surfacing package that can include wooden or rubber mulch with barrier fabric and a containment border.

Designed by: Tyler Angarano
Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSA now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the website www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the website www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSA now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSA now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the website www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSA now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the website www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSIC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the website www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the website www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the website www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL



7577 E. Main St, Lima NY 14485
 877-807-7529 (p) 585-624-7590 (f)
 info@bearsplaygrounds.com

Edwards, CO 81632

Attn: Contact Name
 E-Mail
 Phone #
 Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the website www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Tyler Angarano
 Certified Playground Safety Inspector

8-18-2021 Drawing 3

Ponderosa

RESIDENTIAL

custom. nature inspired. cedar log playgrounds.



Bears Playgrounds' nature-inspired products and natural materials help stimulate a child's imagination and enthusiasm for outdoor play. Their products facilitate learning, help build social skills, create opportunities for exercise, and by virtue of unique designs and materials, provide children with a connection to nature.

Bears Playgrounds' products are strong and durable, however, **there are natural aesthetics of real log products of which you should be aware.** Cedar logs have a fat end and a skinny end like a tree (instead of a manufactured dowel), **they have gorgeous wood grain, checking, knots, crooks, grooves, curves, even the occasional stubborn piece of bark, etc.** Those who are familiar with log construction know that it is subject to the natural process of "checking".



Checking, or cracks, occur across or through the growth rings as they release moisture. This is a natural process and is common to all wood species. Checking is not a defect in the wood; it does not diminish the quality, durability, safety, or the structural integrity. Instead, it is considered a part of the log's rustic natural look and adds to the uniqueness of each piece.

Your products will have checking!

We want to ensure your satisfaction with these nature-inspired products. Please call us with any questions, suggestions, or concerns.

877-807-7529

info@bearsplaygrounds.com