


Gate Hill Day Camp 750 Gate Hill Rd. Stony Point, NY 10980



CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Danny Bears
Certified Playground Safety Inspector

3-23-2012 Drawing 9

Danny's Love, Life, Adventure



Gate Hill Day Camp 750 Gate Hill Rd. Stony Point, NY 10980



DANNY'S LOVE, LIFE, ADV	ENTURE	OPTIONAL EXCLUDED		
PONDEROSA STRUCTURE 1	5499			
PONDEROSA STRUCTURE 2	5499			
PONDEROSA STRUCTURE 3	5499			
PROUDEST MONKEY STRUCTURE 4	3499			
SUSPENSION BRIDGE W/ NETS	999			
BUMPY BRIDGE	1599		$\perp$	
HIGH BRIDGE W/ NETS	2199			
WOODEN RAIL X 12	900		+	
WOODEN ROOF X 7	2793			
SAFETY SIGN X 1	249			
ON STRUCTURE 1			$\vdash$	
LG ROCK WALL	449			
SM ANGLED CLIMBER	149			
7' TUBE SLIDE	1799			
7' TUBE SLIDE	1799			
ON STRUCTURE 2	1733			
HEAVY DUTY STEERING WHEEL	149			
GL TIC TAC TOE PANEL			-	
	399			
BUILT-IN PICNIC TABLE	499		+	
BUMPY LOG RAPPEL	849			
4' WAVE SLIDE	649		+	
ON STRUCTURE 3				
TREE HOPPERS X 5	875			
7' STRAIGHT SLIDE	799			
LANDING PLATFORM	199			
HEAVY DUTY STEERING WHEEL	149			
SM TREE HUGGER	349			
4' RIGHT TURN SLIDE	849			
ON STRUCTURE 4				
SM ANGLED CLIMBER	149			
4' DOUBLE SLIDE	849		-	
STEEPER BUMPY LOG CLIMBER	749			
SUB TOTAL	\$ 40,443.00			
SHIPPING ESTIMATE / MOBILIZATION	???			
INSTALL BY BEARS	???			
SAFETY SURFACING PACKAGE				
CERT. WOODEN MULCH- ? YDS^3	?			
BARRIER FABRIC- ? FT'2	?			
DOUBLE HIGH LOG BORDERS X?	?			
HEAVY DUTY Swing/Slide Mat X?	?			
SURFACING PACKAGE INSTALL	?			
NEW TOTAL	????			
SALES TAX				
GRAND TOTAL	\$-			
ADA Compliant & Certified Safety Surfacing available upon request.				
Specifications, product offerings and prices are subj		out notice.		
INSTALL AND SHIPPING PRICES SUBJECT TO CHANGE				

Designed by: Danny Bears Certified Playground Safety Inspector

3-23-2012 Drawing 9

Danny's Love, Life, Adventure



Gate Hill Day Camp 750 Gate Hill Rd. Stony Point, NY 10980



CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the childs use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Danny Bears
Certified Playground Safety Inspector

3-23-2012 Drawing 9

Danny's Love, Life, Adventure



Gate Hill Day Camp 750 Gate Hill Rd. Stony Point, NY 10980



CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be tuitized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoic injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Danny Bears
Certified Playground Safety Inspector

3-23-2012 Drawing 9

Danny's Love, Life, Adventure



Gate Hill Day Camp 750 Gate Hill Rd. Stony Point, NY 10980



CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be tuitized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid

Not all equipment may be appropriate for all children, even when designed for a target age group. Io avoi injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Danny Bears
Certified Playground Safety Inspector

3-23-2012 Drawing 9

Danny's Love, Life, Adventure



Gate Hill Day Camp 750 Gate Hill Rd. Stony Point, NY 10980



CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optiona extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine it the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoic injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: DAWHY BEARS
Certified Playground Safety Inspector

3-23-2012 Drawing 9

Danny's Love, Life, Adventure



Gate Hill Day Camp 750 Gate Hill Rd. Stony Point, NY 10980



CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoi injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Danny Bears
Certified Playground Safety Inspector

3-23-2012 Drawing 9

Danny's Love, Life, Adventure



Gate Hill Day Camp 750 Gate Hill Rd. Stony Point, NY 10980



CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be tuitized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in combliance when considering existing old accomponents.

Not all equipment may be appropriate from considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Danny Bears
Certified Playground Safety Inspector

3-23-2012 Drawing 9

Danny's Love, Life, Adventure



Gate Hill Day Camp 750 Gate Hill Rd. Stony Point, NY 10980



CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine it the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoic injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Danny Bears
Certified Playground Safety Inspector

3-23-2012 Drawing 9

Danny's Love, Life, Adventure



Bears Playgrounds' nature-inspired products and natural materials help stimulate a child's imagination and enthusiasm for outdoor play. Their products facilitate learning, help build social skills, create opportunities for exercise, and by virtue of unique designs and materials, provide children with a connection to nature.

Bears Playgrounds' products are strong and durable, however, there are natural aesthetics of real log products of which you should be aware. Cedar logs have a fat end and a skinny end like a tree (instead of a manufactured dowel), they have gorgeous wood grain, checking, knots, crooks, grooves, curves, even the occasional stubborn piece of bark, etc. Those who are familiar with log construction know that it is subject to the natural process of "checking".



Checking, or cracks, occur across or through the growth rings as they release moisture. This is a natural process and is common to all wood species. Checking is not a defect in the wood; it does not diminish the quality, durability, safety, or the structural integrity. Instead, it is considered a part of the log's rustic natural look and adds to the uniqueness of each piece.

Your products will have checking!

We want to ensure your satisfaction with these nature-inspired products. Please call us with any questions, suggestions, or concerns.

877-807-7529

info@bearsplaygrounds.com