



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536


Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in its entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



ALL DESIGNS ARE CUSTOMIZABLE!!

Parts can be added, removed and shifted around.

Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name

E-Mail

Phone #

Alternate

Additional Contact

**ALL DESIGNS ARE
CUSTOMIZABLE!!**

Parts can be added, removed
and shifted around.

Ask about our safety
surfacing package that
can include wooden or
rubber mulch with barrier
fabric and a containment
border.

DANNY'S LOVE, LOVE, ADVENTURE

OPTIONAL
EXCLUDED

PONDEROSA STRUCTURE 1	3499
PONDEROSA STRUCTURE 2	3499
PONDEROSA STRUCTURE 3	3499
PROUDEST MONKEY STRUCTURE 4	2499
SUSPENSION BRIDGE W/ RAILS	1199
BIG ROPE V-BRIDGE	3299
TREE HOPPERS X 5	875
8' FLAT BRIDGE W/ RAILS	999
HIGH BRIDGE W/ RAILS	2499
COMMERCIAL BIRDS NEXT SWING	1499
WOODEN RAIL X 8	600
WOODEN ROOF X 7	2793

ON STRUCTURE 1

SM ROCK WALL	299
ANGLED CLIMBER UNDER	150
SPIRAL CLIMBER	899
7' TORPEDO STRAIGHT SLIDE	799
MONKEY BAR COMBO	899
LANDING PLATFORM	199

ON STRUCTURE 2

BUMPY LOG RAFFEL	849
SM CROOKED LOG CLIMBER	249
LG ROCK WALL	449
GROUND LEVEL TIC TAC TOE PANEL	399

ON STRUCTURE 3

ADA TRANSFER STATION	1699
LG TREE HUGGER	549
UNDERNEATH PICNIC TABLE	499
CARGO NET CLIMBER	699

ON STRUCTURE 4

SM TREE HUGGER	349
CAPTAINS WHEEL	30
4' DOUBLE SLIDE	849
LOG ROPE CLIMBER	299
RAMP	349

SWINGS

OPTIONAL
EXCLUDED

FS WODDEN SWING SET- 1 BAY	1899
SG BELT SWING	69
SG BELT SWING	69
SG BELT SWING	69

SUB TOTAL \$39,378.00

SHIPPING ESTIMATE / MOBILIZATION ???

INSTALL BY BEARS ???

SAFETY SURFACING PACKAGE

CERT. WOODEN MULCH- ? YDS^3	NOT YET
BARRIER FABRIC- ? FT^2	INCLUDED-
DOUBLE HIGH LOG BORDERS X ?	AVAILABLE
HEAVY DUTY Swing/Slide Mat X ?	UPON
SURFACING PACKAGE INSTALL	REQUEST

NEW TOTAL ???

SALES TAX

GRAND TOTAL

Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life,
Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: *Trey Socash*
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: *Trey Socash*
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children, even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL



7577 E. Main St, Lima NY 14485
877-807-7529 (p) 585-624-7590 (f)
info@bearsplaygrounds.com

Katonah, NY 10536

Attn: Contact Name
E-Mail
Phone #
Alternate

Additional Contact

CPSC now recommends a minimum of 9" of loose fill safety surfacing material be installed and maintained in the use zone for safety. Safety surfacing package is to be "by others" unless specially included for an optional extra charge at the time of order. Acceptance of this proposal means that you accept Bears Playgrounds terms and conditions as described on the web site www.bearsplaygrounds.com

The Americans with Disabilities Act (ADA) may require that you make your park and / or playground accessible when viewed in it's entirety. Please consult your legal counsel to determine if the ADA applies to you. For playground equipment to be considered accessible, accessible surfacing must be utilized in applicable areas. Although a particular playground design may not meet the proposed Access Board Regulations in regards to the appropriate number of ground level events, the actual playground may be in compliance when considering existing play components.

Not all equipment may be appropriate for all children even when designed for a target age group. To avoid injury you should closely supervise and participate in the child's use of this equipment, especially while learning to use it. Proper supervision is required.



Designed by: Trey Socash
Certified Playground Safety Inspector

5-15-2018 Drawing 10

Danny's Love, Life, Adventure

RESIDENTIAL

custom. nature inspired. cedar log playgrounds.



BEARS
bearsplaygrounds.com



Bears Playgrounds' nature-inspired products and natural materials help stimulate a child's imagination and enthusiasm for outdoor play. Their products facilitate learning, help build social skills, create opportunities for exercise, and by virtue of unique designs and materials, provide children with a connection to nature.

Bears Playgrounds' products are strong and durable, however, **there are natural aesthetics of real log products of which you should be aware.** Cedar logs have a fat end and a skinny end like a tree (instead of a manufactured dowel), **they have gorgeous wood grain, checking, knots, crooks, grooves, curves, even the occasional stubborn piece of bark, etc.** Those who are familiar with log construction know that it is subject to the natural process of "checking".



Checking, or cracks, occur across or through the growth rings as they release moisture. This is a natural process and is common to all wood species. Checking is not a defect in the wood; it does not diminish the quality, durability, safety, or the structural integrity. Instead, it is considered a part of the log's rustic natural look and adds to the uniqueness of each piece.

Your products will have checking!

We want to ensure your satisfaction with these nature-inspired products. Please call us with any questions, suggestions, or concerns.

877-807-7529

info@bearsplaygrounds.com